

**Model No.: DJP-J190**
**Feature**


- ◆ 22nm 2M Cache Bay Trail-D Intel® Celeron® CPU J1900 processor
- ◆ All alloy chassis, compact structure, light weight, flexible installation
- ◆ 1\*VGA and 1\*HDMI display port
- ◆ 2\*Gigabit Ethernet port, supports Wake On LAN
- ◆ Rich I/O: 1\*Switch ON/OFF, 3\*USB2.0, 1\*USB3.0, 1\*VGA, 1\*HDMI, 1\* DC IN, 2\*LAN (RJ-45), 1\*MIC, 1\*SPK port

**Specifications**

| General                       |   |
|-------------------------------|---|
| CPU                           | Onboard Intel J1900 2.0GHz Quad Core Four Thread Max 2.41GHz(Turbo boost Technology) processor  |
| BIOS Manufacturer             | American Megatrends Inc.  |
| Chipset                       | Intel Bay Trail-D   |
| Memory                        | 1* 204-pin SODIMM Sockets for un-buffered   |
| Memory Type                   | DDR3/DDR3L(Low Voltage 1.35V)-1333/1600 SDRAM, Max 8GB  |
| Storage                       | 1* Serial SATA 6Gb/s connectors<br>1* Mini-SATA 3Gb/s connectors  |
| Operating System              | Windows 7/Windows 8/Windows 10/Linux, Windows 7 English(OEM Cracked) default  |
| Network                       | 2*RTL8168/8111/8112 Gigabit Ethernet Controller<br>Optional 300M WiFi with dual antennas  |
| Video                         | Intel(R) HD Graphics<br>Graphics Base Frequency 688 MHz<br>Graphics Max Dynamic Frequency 854 MHz<br>support VGA and HDMI full screen HD playback |
| I/O port                      |   |
| Front panel ports             | 1* Power indicator and switch, 1*MIC, 1*SPK, 3*USB2.0, 1*USB3.0,  |
| Backside ports                | 1* DC IN, 1*HDMI, 1*VGA, 2*LAN port(RJ-45)  |
| Internal ports                | 1*mini-PCIE port(m-SATA SSD, 3Gbps)<br>1*mini-PCIE port(WIFI/3G)  |
| Expansion ports               | 2*COM, 1* LPT   |
| Power and Working Environment |   |
| Input                         | DC100-240V AC/50-60Hz   |
| Output                        | DC 12V/5A   |
| Operating Temperature         | -10/60 Centigrade   |
| Storage Temperature           | -20/+85 Centigrade  |
| Relative Humidity             | 10%~90% (non-condensing)  |
| energy-saving                 | Support Energy-saving technology, Speedstep   |
| virtualization                | Support Virtualization technology   |
| 64 bit computing              | Support 64 bit computing  |
| Product Dimension & Details   |   |

|                 |  |
|-----------------|--|
| Size            | 136*126*43MM                               |
| Weight          | 1.0kg                                      |
| Consumption     | 12~16W                                     |
| Shell           | All black aluminum alloy                   |
| Package Content | Mini PC, Power Adapter, VESA Mount, Screws |

## Picture







